



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/053,488

11/02/2001

Tyler J. McKinley

P0487

3362

23735 7590 06/26/2007

DIGIMARC CORPORATION  
9405 SW GEMINI DRIVE  
BEAVERTON, OR 97008

EXAMINER

CHEN, WENPENG

ART UNIT

PAPER NUMBER

2624

MAIL DATE

DELIVERY MODE

06/26/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/053,488	<b>Applicant(s)</b> MCKINLEY ET AL.	
	<b>Examiner</b> Wenpeng Chen	<b>Art Unit</b> 2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 16 April 2007.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 2,4-24 and 26-34 is/are pending in the application.
- 4a) Of the above claim(s) 5-13 and 31 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 2,4,14-24,26-30 and 32-34 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date <u>4/17/2007</u> . | 6) <input type="checkbox"/> Other: _____  |

***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4/16/2007 has been entered.

**Examiner's responses to Applicant's remark**

2. Applicants' amendment and arguments, filed 4/16/2007, have been considered.
  - a. Claim 18 shall be labeled as (Currently amended). Claim 31 shall be labeled as (Withdrawn) according to history of the amendments.
  - b. Applicants' arguments with respect to claims 2, 4, 14, 18, 20, 23, 29, and their dependent claims have been considered but are moot in view of the new ground(s) of rejection due to Applicants' amendments.
  - c. Applicants argued that the Examiner's recent citation of Shinoda at col. 3, lines 7-50 reveals that there is no support for the position that Shinoda teaches grouping web pages as a job. Applicants did not pointed out how the argument is relevant to the rejection. The Examiner's

Art Unit: 2624

position with regard to the non-amended Claims 17 and 34 has been explained in the previous Office Actions and remains unchanged.

***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

4. Claims 4, 18-24, and 26-28 are rejected under 35 U.S.C. 102(e) as being anticipated by Vynne et al. (US patent 5,960,081.)

a. Vynne teaches a method of segmenting a media object for parallel watermarking operations, the method comprising:

for Claim 4

-- sub-dividing the media signal into segments; (Fig. 6.1; column 27, lines 7-18; The images are divided into blocks.)

-- analyzing the media signal to prioritize segments of the media signal for digital watermark operations on the segments, wherein the media signal segments are prioritized for

Art Unit: 2624

digital watermark embedding operations and wherein the media signal segments are prioritized such that segments that are more likely to carry a readable watermark signal are given higher priority for the embedding operations; (column 10, lines 32-48; column 24, line 65 to column 25, line 11; Fig. 6.1; The images are divided into blocks. A subset  $U(n)$  of blocks suitable for coding is selected using the selection criteria discussed from column 17, line 54 to column 22, line 21. The selection process is a prioritization process. column 8, lines 25-35; The blocks are selected based on energy of a block to generate more-likely readable watermark signal.; column 33, lines 19-23; The blocks can be selected also based on a secret key to generate more-likely readable watermark signal, when the watermark is under attack.)

-- distributing the prioritized segments to parallel processors; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor. Segments are prioritized in each PE. Because the blocks of the image are distributed to the PEs, the prioritized segments are inherently distributed.)

-- performing parallel digital watermark embedding operations on the prioritized segments in the parallel processors after the analyzing of the media object to prioritize the segments; (Fig. 7.2; column 26, line 1 to column 27, line 18; *The analyzing is performed before sending selected blocks for watermarking processor in each watermarking processor individually. Parallel digital watermark operations are performed on the prioritized segments after said analyzing.*)

for Claims 18-19

-- sub-dividing the media signal into segments; (Fig. 6.1; column 27, lines 7-18; The images are divided into blocks.)

Art Unit: 2624

-- distributing the segments to parallel processors; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor.)

-- performing parallel digital watermark operations on the segments in the parallel processors (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18) wherein the media signal is segmented and prioritized for parallel watermark decoding operations both based on probability of watermark detection; (column 22, line 22 to column 24, line 58; *The recitation can be read as the media signal is prioritized for parallel watermark decoding operations based on probability of watermark detection. Column 17, lines 60-67; The image are segmented based on how probably a watermark in a block is invisible, namely detected by eyes.*)

-- wherein the parallel processors comprise threads of execution on one or more hardware processing units; (column 26, lines 57-68; Each segment is processed separately and then combined.)

for Claims 20-21

-- sub-dividing the media signal into segments; (Fig. 6.1; column 27, lines 7-18; The images are divided into blocks.)

-- distributing the segments to parallel processors; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor.)

-- performing parallel digital watermark operations on the segments in the parallel processors (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18) wherein the watermark operations are performed by two or more watermark operation modules that

Art Unit: 2624

perform a different watermarking task, and the watermark operation modules operate in parallel such that a watermarking task for the media signal is distributed over the watermark operation modules performing different watermark functions on the media signal in parallel, wherein the different watermark functions are performed in parallel by a watermark generator that generates a signal to be embedded and a perceptual analyzer that analyzes the media signal to generate signal dependent parameters used to control embedding of the signal in the media signal; (Fig. 7.2; column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18; *In column 26, lines 45-47 explicitly states that in the situation of one program, different execution is performed on different processors.*)

-- wherein the watermark operation modules comprise a watermark generator, a perceptual analyzer and a watermark applicator. (Fig. 6.1; The part generating the signature is a watermark generator. "Criteria 612" is a perceptual analyzer. Embedder 618 is a watermark applicator. Each PE of Fig. 7.2 has the set shown in Fig. 6.1.)

b. For Claim 22, Vynne further teaches computer readable medium on which is stored instructions for performing the method of claim 20. (column 26, lines 1-54; column 27, lines 27-58; The instructions are stored in memory inside CRAY computer.)

c. Vynne teaches a distributed digital watermark embedder comprising:

for Claims 23-24 and 26-28

-- a watermark signal generator for generating a watermark from a message; (column 1, lines 43-51; Fig. 6.1; column 9, lines 45-59; The part generating the signature is a watermark

Art Unit: 2624

generator. The signature is related with author of a document or other information, which is a message. The final watermark is generated from the signature.)

-- a perceptual analyzer for perceptually analyzing a media signal and generating perceptual control parameters used to control application of the watermark to the media signal; (Fig. 6.1; "Criteria 612" is a perceptual analyzer. A subset  $U(n)$  of blocks suitable for coding is selected using the selection criteria based on perceptual analysis discussed from column 17, line 54 to column 22, line 21.)

-- a watermark applicator for receiving the media signal, the watermark and the perceptual control parameters, and for applying the watermark to the media signal according to the perceptual control parameters; wherein the watermark signal generator, the perceptual analyzer and the watermark applicator operate on distributed processors, wherein the distributed processors comprises independent threads of execution (Fig. 6.1; Fig. 7.2; column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18; Embedder 618 is a watermark applicator. Each PE of Fig. 7.2 has the set shown in Fig. 6.1.) wherein variable watermarks are embedded in copies of a media signal by executing the perceptual analyzer on the media signal once to generate a perceptual mask that is dependent on the content of the media signal and is dependent on and automatically computed from the content of the media signal and is re-used by the watermark applicator to apply different watermarks from the watermark signal generator to the copies; (column 17, line 54 to column 22, line 22; column 27, line 59 to column 28, line 10; The criteria thresholds as those listed in column 22, lines 1-9 are the mask that is used for selecting blocks for watermarking and is dependent on and automatically computed from the content of the media signal. The thresholds are adjusted based on perceptual analysis through direct view.)



Art Unit: 2624

-- including a media signal segmentation processor for sub-dividing a media signal into segments for parallel processing in the embedder, wherein the embedder includes plural perceptual analyzers, which operate in parallel on segments of the media signal and wherein the embedder includes plural watermark signal applicators, which operate in parallel on segments of the media signal. (Figs. 6.1 and 7.2; column 27, lines 7-18; The images are divided into blocks. The part generating the signature is a watermark generator. "Criteria 612" is a perceptual analyzer. Embedder 618 is a watermark applicator. Each PE of Fig. 7.2 has the set shown in Fig. 6.1. )

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 4, 18-24, and 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vynne et al. (US patent 5,960,081.)

a. Vynne teaches a method of segmenting a media object for parallel watermarking operations, the method comprising:

for Claim 4

Art Unit: 2624

-- sub-dividing the media signal into segments; (Fig. 6.1; column 27, lines 7-18; The images are divided into blocks.)

-- analyzing the media signal to prioritize segments of the media signal for digital watermark operations on the segments, wherein the media signal segments are prioritized for digital watermark embedding operations and wherein the media signal segments are prioritized such that segments that are more likely to carry a readable watermark signal are given higher priority for the embedding operations; (column 10, lines 32-48; column 24, line 65 to column 25, line 11; Fig. 6.1; The images are divided into blocks. A subset  $U(n)$  of blocks suitable for coding is selected using the selection criteria discussed from column 17, line 54 to column 22, line 21. The selection process is a prioritization process. column 8, lines 25-35; The blocks are selected based on energy of a block to generate more-likely readable watermark signal.; column 33, lines 19-23; The blocks can be selected also based on a secret key to generate more-likely readable watermark signal, when the watermark is under attack.)

-- distributing the prioritized segments to parallel processors; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor.

#### Discussion A:

In column 26, line 27 to column 27, line 5, Vynne teaches the followings:

(1) Some predefined variables are used to make the execution different on the different processors. These variables also make it possible to make the system scalable; that is, to be able to run with a different number of processors without changing the C-code.

Art Unit: 2624

(2) Whenever two PE's want to exchange data in some way, the two PE's have to be synchronized by special commands.

It is evidently, (1) one program can direct each PE to perform different execution and (2) the PEs perform interactively with exchanging data, namely one PE can read the result of another PE to continue the task of said another PE. It is obviously that segments are prioritized in each PE and the prioritized segments are redistributed to other PEs when needed.)

-- performing parallel digital watermark embedding operations on the prioritized segments in the parallel processors after the analyzing of the media object to prioritize the segments; (Fig. 7.2; column 26, line 1 to column 27, line 18; Also see Discussion A above. *The analyzing can be performed before sending selected blocks to each watermarking processor. Parallel digital watermark operations are performed on the prioritized segments after said analyzing.*)

It is desirable to make each PE's process capability scalable to optimize the operation of the parallel processor. It would have been obvious to one of ordinary skill in the art, at the time of the invention, to select blocks in a whole image as taught by Vynne with all used PEs and redistribute the selected blocks to Vynne's parallel processors for watermarking because the combination optimizes the operation of the parallel processor of Vynne.

This modification and motivation are also applied the subsequences sections.

b. Vynne further teaches a method of segmenting a media object for parallel watermarking operations, the method comprising:

for Claims 18-19

Art Unit: 2624

-- sub-dividing the media signal into segments; (Fig. 6.1; column 27, lines 7-18; The images are divided into blocks.)

-- distributing the segments to parallel processors; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor. Also see Discussion A above.)

-- performing parallel digital watermark operations on the segments in the parallel processors (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18) wherein the media signal is segmented and prioritized for parallel watermark decoding operations, both based on probability of watermark detection; (column 22, line 22 to column 24, line 58; *The recitation can be read as the media signal is prioritized for parallel watermark decoding operations based on probability of watermark detection. Because the media signal is prioritized in the coding process for each segment, both segmentation and prioritization are based on probability of watermark detection for coding and decoding processes.*)

-- wherein the parallel processors comprise threads of execution on one or more hardware processing units; (column 26, lines 57-68; Each segment is processed separately in a single PE or several PEs as explained in Discussion A above and then combined.)

for Claims 20-21

-- sub-dividing the media signal into segments; (Fig. 6.1; column 27, lines 7-18; The images are divided into blocks.)

-- distributing the segments to parallel processors; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor.)

Art Unit: 2624

-- performing parallel digital watermark operations on the segments in the parallel processors (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18) wherein the watermark operations are performed by two or more watermark operation modules that perform a different watermarking task, and the watermark operation modules operate in parallel such that a watermarking task for the media signal is distributed over the watermark operation modules performing different watermark functions on the media signal in parallel wherein the different watermark functions are performed in parallel by a watermark generator that generates a signal to be embedded and a perceptual analyzer that analyzes the media signal to generate signal dependent parameters used to control embedding of the signal in the media signal; (Fig. 7.2; column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18; *In column 26, lines 45-47 explicitly states that in the situation of one program, different execution is performed on different processors. Also see Discussion A above.*)

-- wherein the watermark operation modules comprise a watermark generator, a perceptual analyzer and a watermark applicator. (Fig. 6.1; The part generating the signature is a watermark generator. "Criteria 612" is a perceptual analyzer. Embedder 618 is a watermark applicator. Each PE of Fig. 7.2 has the set shown in Fig. 6.1.)

c. For Claim 22, Vynne further teaches computer readable medium on which is stored instructions for performing the method of claim 20. (column 26, lines 1-54; column 27, lines 27-58; The instructions are stored in memory inside CRAY computer.)

d. Vynne teaches a distributed digital watermark embedder comprising:

Art Unit: 2624

for Claims 23-24 and 26-28

-- a watermark signal generator for generating a watermark from a message; (column 1, lines 43-51; Fig. 6.1; column 9, lines 45-59; The part generating the signature is a watermark generator. The signature is related with author of a document or other information, which is a message. The final watermark is generated from the signature.)

-- a perceptual analyzer for perceptually analyzing a media signal and generating perceptual control parameters used to control application of the watermark to the media signal; (Fig. 6.1; "Criteria 612" is a perceptual analyzer. A subset  $U(n)$  of blocks suitable for coding is selected using the selection criteria based on perceptual analysis discussed from column 17, line 54 to column 22, line 21.)

-- a watermark applicator for receiving the media signal, the watermark and the perceptual control parameters, and for applying the watermark to the media signal according to the perceptual control parameters; wherein the watermark signal generator, the perceptual analyzer and the watermark applicator operate on distributed processors, wherein the distributed processors comprises independent threads of execution (Fig. 6.1; Fig. 7.2; column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18; Embedder 618 is a watermark applicator. Each PE of Fig. 7.2 has the set shown in Fig. 6.1.) wherein variable watermarks are embedded in copies of a media signal by executing the perceptual analyzer on the media signal once to generate a perceptual mask that is dependent on and automatically computed from the content of the media signal and the content of the media signal and is re-used by the watermark applicator to apply different watermarks from the watermark signal generator to the copies; (column 17, line 54 to column 22, line 22; column 27, line 59 to column 28, line 10; The criteria thresholds as

Art Unit: 2624

those listed in column 22, lines 1-9 are the mask that is used for selecting blocks for watermarking. The thresholds are adjusted based on perceptual analysis through direct view.)

-- including a media signal segmentation processor for sub-dividing a media signal into segments for parallel processing in the embedder, wherein the embedder includes plural perceptual analyzers, which operate in parallel on segments of the media signal and wherein the embedder includes plural watermark signal applicators, which operate in parallel on segments of the media signal. (Figs. 6.1 and 7.2; column 27, lines 7-18; The images are divided into blocks. The part generating the signature is a watermark generator. "Criteria 612" is a perceptual analyzer. Embedder 618 is a watermark applicator. Each PE of Fig. 7.2 has the set shown in Fig. 6.1.)

7. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Vynne et al. (US patent 5,960,081.)

Vynne teaches in one embodiment a method of segmenting a media object for watermarking operations, the method comprising:

-- sub-dividing the media object into parts different perceptual portions within the signal, including specifying the parts to be embedded with corresponding digital watermark messages and providing data used to control embedding of the corresponding digital watermarking messages in the parts; (column 24, line 65 to column 25, line 11; Fig. 6.1; column 27, lines 7-18; The images are divided into blocks. A subset  $U(n)$  of blocks suitable for coding is selected using the selection criteria discussed from column 17, line 54 to column 22, line 21. The selection

Art Unit: 2624

process is a prioritization process. Each segment is perceptually different from another inherently. )

-- performing digital watermark operations on specified parts according to the data used to control the embedding. (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18; There are only two priority orders: suitable and non-suitable.)

Vynne teaches in another embodiment a method of segmenting a media object for parallel watermarking operations, the method comprising:

-- distributing image signal to parallel processors for digital watermark; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor.)

-- performing parallel digital watermark operations on the prioritized segments in the parallel processors according to the priority order of the prioritized segments; (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18; There are only two priority order: suitable and non-suitable.)

Vynne, in column 27, lines 9-10, teaches "the blocks are divided between different processors. The Examiner interpreted "the blocks" as the selected blocks. The Applicants interpreted "the blocks" as the blocks of the image prior the specifying process. For reducing the argument between the Applicants and the Examiner, the Examiner here takes the Applicants' position. Therefore, Vynne does not teach the limitation related to "distributing the specified parts to parallel processors after specifying of the parts".

Vynne teaches, in column 26, line 1 to column 27, line 5, that using parallel processing reduces the processing time. The parallel processing can be applied to various tasks.



Art Unit: 2624

Furthermore, in column 17, line 7 to column 22, line 21, Vynne selects blocks for watermarking based on visibility concern and the criteria related to a whole frame. It has a concern of having inadequate number of selected blocks in column 17, lines 45-53. In divided segments, it is more likely to have a segment with inadequate number of selected blocks than its corresponding whole image because its size is smaller than a whole image and the numbers are not even distributed among the segments. It is desirable to have adequate number of selected blocks for watermarking an image. It would have been obvious to one of ordinary skill in the art, at the time of the invention, to select blocks in a whole image as taught by Vynne and distribute the selected blocks to Vynne's parallel processors for watermarking because the combination reduces a complicated synchronization mechanism as pointed out by Vynne. This modification thus teaches all the limitations recited in Claim 2.

8. Claims 2, 14-15, 20, 22, 29-30 and 32-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vynne et al. (US patent 5,960,081) in view of Hawkins et al. (US patent 6,389,421.)

a. Vynne teaches in one embodiment a method of segmenting a media object for watermarking operations, the method comprising:

-- sub-dividing the media signal into parts representing different perceptual portions within the signal, including specifying the parts to be embedded with corresponding digital watermark messages and providing data used to control embedding of the corresponding digital watermarking messages in the parts; (column 24, line 65 to column 25, line 11; Fig. 6.1; column 27, lines 7-18; The images are divided into blocks. A subset  $U(n)$  of blocks suitable for coding is

Art Unit: 2624

selected using the selection criteria discussed from column 17, line 54 to column 22, line 21. The selection process is a prioritization process. )

-- performing digital watermark operations on specified parts according to the data used to control the embedding. (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18; There are only two priority orders: suitable and non-suitable.)

However in this embodiment, Vynne does not teach features related to parallel processors recited in the claims.

b. Hawkins teaches a method of segmenting a media object for parallel watermarking operations, the method comprising:

for Claim 2

-- sub-dividing the media object into parts, including specifying the parts to be embedded with corresponding digital watermark messages and providing data used to control embedding of the corresponding digital watermarking messages in the parts; (column 9, lines 10-25; column 10, lines 22-61; column 12, lines 17-39; The media signal is divided based on jobs.; column 10, lines 4-62; The segments are prioritized based on the user of the media signal to set a schedule.)

-- distributing the specified parts to parallel processors after specifying of the parts to be embedded with corresponding digital watermark messages; (column 6, lines 26-34; column 12, lines 17-39; A single number of watermarking process is assigned per available processor.)

-- performing parallel digital watermark operations on the specified parts in the parallel processors according to the data used to control the embedding. (column 6, lines 26-358; column 12, lines 17-39; A single number of watermarking process is assigned per available processor.)

for Claims 14-15

Art Unit: 2624

-- sub-dividing the media object into segments; (column 9, lines 10-25; column 10, lines 22-61; column 12, lines 17-39; The media signal is divided based on jobs.)

-- distributing the segments to parallel processors; (column 6, lines 26-34; column 12, lines 17-39; A single number of watermarking process is assigned per available processor.)

-- performing parallel digital watermark operations on the segments in the parallel processors (column 6, lines 26-358; column 12, lines 17-39; A single number of watermarking process is assigned per available processor.) wherein the media signal is segmented into blocks and the parallel digital watermarking operations are performed in priority order on based on a memory parameter of processing hardware, and the memory parameter comprises a unit of memory used to swap data into system memory in a virtual memory system; (column 10, lines 40-44; column 12, lines 25-39; The segment requested for a subsequent watermarking process depends on data-size-dependent points that is related to the characteristic of storage facility, namely the data size cannot be larger than the storage. The storage is the maximum capacity which data can be swapped for processing. *A task associated with points is a block of signal. The digital watermarking operations are performed in cording to the points and thus in a priority order of the blocks.*)

for Claim 20

-- sub-dividing the media signal into segments; (column 9, lines 10-25; column 10, lines 22-61; column 12, lines 17-39; The media signal is divided based on jobs.)

-- distributing the segments to parallel processors; (column 6, lines 26-34; column 12, lines 17-39; A single number of watermarking process is assigned per available processor.)

Art Unit: 2624

-- performing parallel digital watermark operations on the segments in the parallel processors (column 6, lines 26-358; column 12, lines 17-39; A single number of watermarking process is assigned per available processor.) wherein the watermark operations are performed by two or more watermark operation modules that perform a different watermarking task, and the watermark operation modules operate in parallel such that a watermarking task for the media signal is distributed over the watermark operation modules performing different watermark functions on the media signal in parallel. (column 6, lines 26-58; column 12, lines 17-39; A single number of watermarking process is assigned per available processor. Also see the above Examiner's responses.)

c. Hawkins points out the advantages of using multiple processors for parallel watermarking and delay problem associated with uneven distribution of watermarking processes in a multiple-processors machine. (column 3, line 60 to column 4, line 13)

It is desirable to speed up watermarking process. It would have been obvious to one of ordinary skill in the art, at the time of the invention, to (1) treat insertion of watermark signal in one of Vynne's selected blocks of as one of Hawkins' job and (2) distribute Vynne's selected blocks according to Hawkins' teaching to Hawkins' parallel processors for parallel watermarking operations because the combination speeds up watermarking process. The combination thus teaches:

-- for Claim 20, wherein the different watermark functions are performed in parallel by a watermark generator that generates a signal to be embedded and a perceptual analyzer that

Art Unit: 2624

analyzes the media signal to generate signal dependent parameters used to control embedding of the signal in the media signal.

d. For Claim 22, Hawkins further teaches computer readable medium on which is stored instructions for performing the method of claim 20. (See claim 20 of Hawkins)

e. For Claims 29-30 and 32-33, Hawkins teaches a system for parallel watermark embedding comprising:

- a media signal pre-processor operable to receive a media object and divide the media object into segments for parallel watermark embedding operations; (column 9, lines 10-25; column 10, lines 22-61; column 12, lines 17-39; The media signal is divided based on jobs.)

- a server for distributing the segments to parallel processors for parallel watermark embedding operations; (column 6, lines 26-58; column 12, lines 17-39; A single number of watermarking process is assigned per available processor.)

- wherein the segments are prioritized for embedding operations, wherein the segments are prioritized for embedding operations based on hardware resource constraints; (column 10, lines 4-62; column 11, lines 12-26; The segments are prioritized based on a schedule. The worker thread is performed based on a resource allocation schedule which indicates hardware resource constraints.)

- a load balancer for distributing segments to the parallel processors based on priority. (column 10, lines 4-62; column 11, lines 12-26; The segments are prioritized based on a schedule. The load balance is based on points allocated to users or size of data.)

Art Unit: 2624

9. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Vynne et al. (US patent 5,960,081) in view of Kawaguchi et al. (US patent 6,473,516.)

Vynne teaches the steps of sub-dividing, distributing, and performing recited in Claim 17, as evident in the discussion above related to Claim 4.

However, it does not teach the feature related to bit planes recited in Claim 17.

Kawaguchi teaches a method of steganography which is watermarking:

-- wherein a media signal is segmented and prioritized based on bit plane to reduce the number of bit planes of the media signal subjected to watermarking operations. (column 2, lines 32-40; column 5, lines 26-37; Watermarking is done only on some bit planes.)

It is desirable to increase information hiding capacity in watermarking. It would have been obvious to one of ordinary skill in the art, at the time of the invention, to include Kawaguchi's segmentation and prioritization method in Vynne's watermarking method, because the combination improves information hiding capacity. The combination thus teaches:

-- wherein a media signal is segmented by bit planes and the bit planes are prioritized for watermarking operations in priority order to reduce the number of bit planes of the media signal subjected to watermarking operations.

10. Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shinoda (US 6,611,830) in view of Vynne et al. (US patent 5,960,081.)

Shinoda teaches a batch digital watermark registration and embedding system comprising:

Art Unit: 2624

-- a network interface for receiving ID registration requests, the requests including a list of media signal files and information to be linked with the media signal files via data embedded in the media signal files; (Fig. 1; column 1, lines 40-46; column 3, lines 7-50; column 5, lines 1-35; Many files, each having an ID, are inputted at least one by one for registration.)

-- a batch registration loader for creating records in a registration database corresponding to identifiers for each of the media signal files; (column 4, line 64 to column 5, line 35; Fig. 5 shows records in the database.)

-- a batch registration extractor for reading the registration database and creating an embedder control file, including identifiers, a corresponding list of media signal files, and embedding instructions for controlling embedding of the identifiers in the media signal files; (column 4, line 64 to column 5, line 35)

-- a digital watermark embedder for performing digital watermark embedding operations on each file to hide the identifiers in the media signal files. (column 4, line 64 to column 5, line 46)

However, Shinoda does not teach the feature related to parallel digital water embedding.

Vynne teaches a system of segmenting a media signal for parallel watermarking operations, comprising:

-- sub-dividing the media signal into segments; (Fig. 6.1; column 27, lines 7-18; The images are divided into blocks.)

-- distributing the segments to parallel processors; (Fig. 7.2; column 26, line 1 to column 27, line 18; Fig. 7.2 shows the parallel processors. A group of  $B_{pe}$  blocks is sent to each processor.)

Art Unit: 2624

-- performing parallel digital watermark operations on the segments in the parallel processors. (column 10, lines 32-48; Fig. 7.2; column 26, line 1 to column 27, line 18)

It is desirable to speed up watermarking of data files. It would have been obvious to one of ordinary skill in the art, at the time of the invention, to use Vynne's parallel watermarking approach in Shinoda's system to perform parallel watermarking for a set of files, because the combination speeds up watermarking and therefore registration process. The combination thus teaches:

-- a parallel digital watermark embedder for segmenting media signal files into segments and for distributing the segments to parallel processors for performing parallel digital watermark embedding operations on the segments to hide the identifiers in the media signal files.

11. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Vynne and Hawkins et al. (US patent 6,389,421) as applied to Claim 14, and further in view of Peters et al. (US patent 6,374,336.)

The combination of Vynne and Hawkins teaches the parent Claim 14. However, it does not teach the feature related to memory alignment boundary recited in Claim 16.

Peters teaches a method of watermarking:

-- wherein segmenting signals based on a memory parameter that comprises a memory alignment boundary. (column 10, lines 7-30)

It is desirable to process image at the correct division of data to reduce loss or degradation of data. It would have been obvious to one of ordinary skill in the art, at the time of



Art Unit: 2624

the invention, to apply Peters' teaching to segment Hawkins' data based on memory alignment boundary, because the combination preserves better data quality.

***Conclusion***

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wenpeng Chen whose telephone number is 571-272-7431. The examiner can normally be reached on 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on 571-272-7453. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and 571-273-8300 for After Final communications. TC 2600's customer service number is 571-272-2600.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-2600.

Wenpeng Chen  
Primary Examiner  
Art Unit 2624

June 20, 2007

